THE IMAGINGSOURCE
TECHNOLOGY BASED ON STANDARDS

DFK 27AUR0135 Color Camera

The Imaging Source "27" Series USB 3.0 Camera

Only 36×36×25 mm

Lens not included

The Imaging Source DFK 27AUR0135 color camera has a USB 3.0 interface and is the perfect solution for many industrial automation, quality assurance, security, surveillance and medical applications. The color camera ships with the very sensitive 1/3 inch On Semiconductor CMOS AR0135 sensor. With up to 60 images per second, the DFK 27AUR0135 is a low cost, yet highly versatile imaging solution. The camera includes a C to CS mount adapter, making it compatible to C and CS mount lenses. Using the optional CS to M12 board lens adapter, the camera is also compatible to M12 board lenses.

The Imaging Source authors and supports drivers, SDKs, extensions and end-user software for Microsoft Windows, which can be freely downloaded from our web site. Extensions for Microsoft Windows enable the DFK 27AUR0135 to be integrated in to common machine vision software libraries, such as LabView and OpenCV. Furthermore, we author and support open source Linux drivers and software (Apache License 2.0) to integrate the camera into popular distributions. Download the Linux source code at GitHub.

Features

- USB 3.0 interface
- 1/3 inch On Semiconductor CMOS sensor (AR0135)
- 1,280×960 (1.2 MP)
- Up to 60 images per second
- Global shutter
- Only 36×36×25 mm
- Compatible to C and CS mount lenses
- Manufactured by The Imaging Source
- Ships with Windows and Linux software

Accessories

- CS to C mount adapter (shipped as standard)
- C and CS mount lenses
- CS to M12 board lens adapters
- M12 board lenses
- Standard USB 3.0 cable in various lengths
- 3 m USB 3.0 cable with fixing screws

Device Drivers for Microsoft Windows

Device Driver for USB Cameras

Software Development Kits (SDKs) for Microsoft Windows

IC Imaging Control .NET Component for C#, VB.NET, C++ Class Library for C++ projects, IC Imaging Control C Library, IC 3D SDK - C, C++ library for stereo depth estimation, IC Imaging Control ActiveX, IC Imaging Control ActiveX Runtime Setup

Extensions for Microsoft Windows

TWAIN Source for IC Imaging Control, Cognex VisionPro AIK Plugin for IC Imaging Control, LabVIEW Extension for IC Imaging Control, IC Matlab Plugin for Matlab 10.0 R2010, IC Matlab Plugin for Matlab R2013b and higher versions, IC NeuroCheck Driver for NeuroCheck 6.0, IC NeuroCheck Driver for NeuroCheck 6.1

End User Software for Microsoft Windows

IC Capture - image acquisition, IC Measure - manual on-screen image measurement and image acquisition, IC 3D - User friendly stereo calibration, depth estimation and 3D visualization, IC Fullscreen Presenter, IC Line Profiler, Footswitch software for IC Capture, Scan2Docx, Scan2Docx OCR, Scan2Voice

THE IMAGINGSOURCE
TECHNOLOGY BASED ON STANDARDS

DFK 27AUR0135 Specification

GENERAL BEHAVIOR	
Devi c rfci vUS	BGamfs l
g nSt flt oc i l. fNflci c Sfci lS Ec i T c pc #	a,mBV+LbVfEaymj 3#fKBVVfNfbVfl-. f a,mBV+LbVfEaymj 3#fKabfNfbVfl-. f a,mBV+LbVfEaymj 3#fdh AXmfNfbVfl-.

INTERFACE (OPTICAL)	
RdfrpIfl uiSo	✔
WSv. t ofle- S	xj PW
WSv. t of. - Sr l ri l t v	MdVaX1
W0pIISo	Uut s i u
2t oc i l	aGxf v r0
3 TSuf. kS	6 dXyz1fF c ,fgdXyz1fF c
wSv. fc t pvI	xGxW

INTERFACE (ELECTRICAL)	
RvISdi rS	OWAfXyV
Wp- - uef7t uli US	5yz1fgDx flt f1ym1fgDx
xpooSvIfrt v. pc - l t v	i - - aTfm1Vfc MfNf1fgDx
MpIt f o. frt vIat u	✖
/ oUUSo	✖
RCP.	✖

INTERFACE (MECHANICAL)	
D c Sv. t v.	6 dXbfc c ,f(dXbfc c ,fwdm1fc c
j i . .	zVfU

ADJUSTMENTS	
W0pIISo	aGav,wvf. flt faf.
hi v	VfnAflt f5BfnA
(0 lSfsi ui vrS	)mfnAflt fbfnA

ENVIRONMENTAL	
/ Sc - Sci lpcSfEt - Sci l vU#	)1fGx flt f51fGx
/ Sc - Sci lpcSfE lt ci US#	)nVfGx flt fbVfGx
6 pc n lefEt - Sci l vU#	nVfH flt fBVfH fEvtv)rtvnSv. vU#
6 pc n lefE lt ci US#	nVfH flt fL1fH fEvtv)rtvnSv. vU#
	Wps 8rlflt fr0i vUS

On Semiconductor AR0135 Spectral Response Curve

CMOS Sensor in DFK 27AUR0135



DFK 27AUR0135 Dimensional Diagram





Dimensions: mm
Tolerances: DIN ISO 2768-f

THE IMAGINGSOURCE
TECHNOLOGY BASED ON STANDARDS

Machine vision, designed in Germany

Ever since The Imaging Source was founded in 1990, it has been one of the leading manufacturers of industrial cameras, frame grabbers and video converters for automation, quality assurance, logistics, medicine, science and security.

Devic rcf olScivBf CciamiWf s eorvUBligBn cvBoiot U oi. Ut iNETip# ViNETi+# ViL UCbViyUvcj Uvci3, , iBf s iyUvcj UvciK, , Uf rcvnBgco#-t Bf doirairt cUvin eIrUH evl aocimoBrevcoiBf s ic rvcn clAit UCt iXeBlUAiorBf s Bvs oVirt cigBn cvBoiBvc gan n af lAieocs iUf is cn Bf s Uf CiBl l lUgBrUaf o#

-t cioam Bvcioel l avriamovcs iRAirt cigBn cvBoimeIrHUlirt civcXeUvcn cf roiaris cn Bf s Uf Cicf s heocvoiBf s l vaCvBn n cvo#-t cigBn cvBoigBf iRcil eriUf raial cvBrUaf i. Ut Uf iBimo. in Uf ercoVavilUf rcCvBrcs iUf raif c. iavic UorUf C Bl l lUgBrUaf oi. Ut iaf lAiBimo. ilUf coiamigas c#ulligBn cvBis vUScvoiBvciWUgvaoamigcvrUHts #-t cicBoAiam. t Ugt irt c gBn cvBoigBf iRciUf rcCvBrcs Virt cigavvcol af s Uf CiLa. iUf rcCvBrUaf igaoroViBf s irt cit UCt iXeBlUAiamirt cioam Bvciocrirt c Uf s eorvAiorBf s Bvs #

ulligBn cvBoVimBn ciCvBRRcvoiBf s iSUs caigaf Scvrcvovin Bf enBgrevcs iRAi-t cixn BCUf CiEaevgcViBvcirt civcoelriam s cgBs coiamc l cvUcf gcVief gan l van UoUf CIAit UCt iXeBlUAiorBf s Bvs oViBf s igaf rUf eBlis cSclal n cf r#P cSclal cvoiBf s oAorcn icf CUf ccvoil vcmovi-t cixn BCUf CiEaevgcigBn cvBois ecirairt cUvic BocianioAorcn iUf rcCvBrUaf #

THE IMAGINGSOURCE
TECHNOLOGY BASED ON STANDARDS

World-Class Software and Customer Care



What really separates The Imaging Source from its competitors is the comprehensive Windows and Linux software available free of charge with all its products, and the unsurpassed level of customer service.

Devic rf dUf iSBCamvir CseBalir Ugil Cnn Basligvt omvigact val lil B.sNr avigvt vEBn vUsiTosl ipS#, l VinaBf ar dUf lr nEvl liv+svUl dBUl livUgLCl vail B.sNr avir Ugil B.sNr avisBBEi.Baib omaBl B.siy dUgBNl ji3EEiy dUgBNl il B.sNr avimrU KvigBNUEBr gigoavmsE-i.aB iBCaiNvKil osvd

essndthNNNjsevo rf dUf l BCamvjmB

3ggosdBUr EE-liDevic rf dUf iSBCamvir CseBalir Ugil Cnn Basl iBnv Uil BCamvigact val ir Ugiv UgLCl vail B.sNr avi.BaiAdUC+jiDev AdUC+il BCamvimBgvliNe omeidiavEvr l vgiCUgvaisevi3 nr me viAomv Ul viXjRlivUr KEvl i-BCisBidUsvf ar svir EEi r medUvit d dBU mr var l idUsBin Bn CErai AdUC+igdl sadKCsdBUl jiDeviu n vUiSBCamvimBgvidi r t rdEr KEvisBigBNUEBr gi.aB iWosx CKd

essnl dthf oseCKjmB

Devic rf dUf iSBCamvif Cr ar Usvv l i.r l sir Ugiv..omv UsimCl sB vail vat omvi.Bair EEier agNr avir Ugil B.sNr avid l Cv l it or iBCa l TdEEvginCl sB vail vat omviavn avl v Usr sdt v l jiP BsiBUE-iNdEENvinaBt ogvil Cnn Basiavf r agdUf isvme Uomr Eid l Cv l liKCsiNv NdEEr El BiNBaTiNosei-BCisBio nEv vUsiBCaimB nBUv Usl idUsBi-BCainaBMmsji1 BUsr msimCl sB vail vat omvir sd

essndthNNNjsevo rf dUf l BCamvjmB

THE IMAGINGSOURCE
TECHNOLOGY BASED ON STANDARDS



t . BNBE Dic TTip # B. iD, BiV p . T+

D, Bi3K c- 3E- iNpd. hBA TTh	D, Bi3K c- 3E- iNpd. hB Bd. pt Bi- K z,	D, Bi3K c- 3E- iNpd. hB cNBc ihp 7ATD+7
NCfnviXRRi uWkuiNeUs s asiV fLLaP i. l i heUrLamvAE hixMxxui ds fnvI iNhUnvS	F wvrSvvnari0M xMx02izrv vs i - vr Us O	xyZAE a7MA5 fs eCi0Sri. aUi DUfmvfihfnCl00XAE vfeC +fSnnfori DUfP Us
DvLb 10i2RXk62RkR00R yUj b 10i2RXkqXxkRW6u	DvLb 1XWiXx0i66qW0R yUj b 1XWiXx0i66qW0MR	DvLb 1MMuixix2Wki60q6 yUj b 1MMuixix2WkiuqM6

c LlimraI CoriUs I ioa mUs Cls U vSifs inefSil aoC vs ni UCIwvinrUI v Ur/SiUs I inrU vs U vSialinevfrirvSmvonf(viaP s vrSiUs I iUrvievrvwCIUb/s aP lvI) vI 7Devi3 Uj fs) iNaCrovATThioUs s ariUs I il av Sis an nU/viUs CIrvSmas SfwflfnCIarilfUwflfnCIlariUs CIfs lar Unfas ioas nUfs vI ifs inefSil aoC vs n7DeviSa Crovioal vifs inefSil aoC vs ni UCIwviCSvI ivjoLCSf(vLCICSvI ilarivI CoUnfas UlimCrmaSvS7Devi3 Uj fs) iNaCrovA TThil av Sis ariUSSC viUs CI/fs I ialiP UnrUs nCIvjmrvSSvI iarif mlfvI ArvSCLnfs) ilra ineviCSvialinevioas nvs rialinefSil aoC vs riarineviSa Crovioal v7Devi3 Uj fs) iNaCrovATThirvSvr(vSinevirf) erinai U/v oeUs) vSifs iSmvoflfoUnfas SAlCs orfas iaril vSf) siUnUs Clnf viUs I iP freaCrimmfaris anfov7

c LliP vf) enSiUs I il f vs Sfas SiUrviUnmmaj f Unv7ds lvSSianevrP fSviSmvoflfvI ine vilvs SvSiSeaP s ifs inevioas nvj rialioU vrUSiUrvis ariSefmmvI iP freinevSvioU vrUS7

. vmrfs nAUSaifs imUrnSAas lCIULlaP vI iP freimvr fSSfas ialiDevi3 Uj fs) iNaCrovATTh7

TUSriCmI Unvlb+vov wvri0MAxR02iUri6bRRit K 7GixR02iDevi3 Uj fs) iNaCrovATTh7c Llirf) enSirvSvr(vI 7